

9



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

0 095 916
A2

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 83303086.9

(51) Int. Cl.: **A 61 K 7/155**

(22) Date of filing: 27.05.83

(30) Priority: 01.08.82 US 383431

(71) Applicant: **THE PROCTER & GAMBLE COMPANY,**
301 East Sixth Street, Cincinnati Ohio 45202 (US)

(43) Date of publication of application: 07.12.83
Bulletin 83/49

(72) Inventor: **Murcia, Daniel Antonio,** 3081 Woodside Drive,
Fairfield Ohio 45014 (US)
Inventor: **Wells, Robert Lee,** 4245 Rose Hill Avenue,
Cincinnati Ohio 45229 (US)

(84) Designated Contracting States: **BE DE FR GB IT NL**

(74) Representative: **Brooks, Maxim Courtney et al, Procter & Gamble (NTC) Limited** Whitley Road Longbenton,
Newcastle-upon-Tyne NE12 9TS (GB)

(54) **Depilatory compositions.**

(57) A depilatory composition comprised of aminoethanethiol in an aqueous matrix provides fast and effective removal of unwanted body and facial hair. Additionally, a second active thiol agent may be included in the composition.

EP 0 095 916 A2

ACTORUM AG

BEST AVAILABLE COPY

DEPILATORY COMPOSITIONS

DANIEL A. MURCIA

ROBERT L. WELLS

TECHNICAL FIELD

5 The invention described herein relates to
a depilatory composition.

BACKGROUND

10 The use of thiol depilatory agents for re-
moval of unwanted body and facial hair is well
established in the art. The principle reaction
in the chemical removal of hair involves the
reduction of hair protein's cystine disulfide
groups to sulfhydryl anions. This reaction has
been shown to be facilitated by certain condi-
15 tions such as high alkalinity, resulting in
ionized reactants and enhanced penetration
by these active agents into the hair.

20 Although these higher pH's result in faster
action, high alkalinity often produces skin irri-
tation for human users. Also, the reaction rate
still is not completely acceptable to many con-
sumers. Therefore, faster-acting depilatories
which alleviate some of these problems were
sought and continue to be sought.

In the search for better-acting depilatories, it was discovered that small thiol molecules bearing low charges provided faster hair removal.

- 5 It is thought that these small compounds more easily penetrate the hair, thereby reducing time for depilation. The prior art discloses several such compounds, as shown by U.S. Patent 2,990,336, June 27, 1961 to Harry Martin; U.S. Patent 3,865,546, 10 February 11, 1975 to John C. Zemlin and Katherine A. Bowler; U.S. Patent 4,175,922, November 27, 1979 to Guenter Eckert; France Knafllic; Franz-Friedrich Miller and Alfred Zissel; and M. M. Pieger, Depilatories: 1979 update. Cosm. & Toiletry 94: 71 - 15 74 (1979). However, none of this prior art teaches the use of aminoethanethiol, the present depilating agent.

It is an object of the present invention to provide fast and effective removal of unwanted body and facial hair.

- 20 It is a further object to provide depilatory compositions containing aminoethanethiol, alone, or in combination with another active thiol agent.

These and other objects will become readily apparent from the detailed description which follows.

- 25 All percentages and ratios used herein are by weight, unless otherwise specified.


SUMMARY OF THE INVENTION

This invention relates to aqueous depilatory compositions comprised of from about 0.1M to about 2.0M aminoethanethiol, alone, or in combination
5 with other active thiol depilatory agents with concentrations ranging from about 0.1M to about 2.0M, such compositions having a pH of from about 10.5 to about 12.5.

DESCRIPTION OF THE INVENTION

10 This invention is comprised of two essential ingredients, aminoethanethiol at a level ranging from about 0.10M to about 2.0M, preferably from about 0.2M to about 1.0M, and water. Numerous salts of aminoethanethiol may be used, such as
15 the alkali and alkaline-earth metal salts, the hydrochloride salt, and mixtures thereof, with the hydrochloride being preferred.

As can be seen from the formula below, aminoethanethiol is a small molecule bearing a very low
20 charge. It is felt that these attributes of low molecular weight and minimal charge result in faster and easier penetration by this agent thereby reducing depilation time.



25

Aminoethanethiol

Water from about 10% to about 80% of the total composition, preferably from about 20% to about 70%, makes up the second essential component of the present invention.

The pH of the aqueous compositions herein should range from about 10.5 to about 12.5 at 25°C., preferably from about 11.0 to about 12.3. The pH's preferably are achieved through the use of an alkaline material such as calcium hydroxide.

Optional components include other active thiol depilatories at concentrations ranging from about 0.10M to about 2.0M, preferably from about 0.20M to about 1.0M. These thiols may include one or more thiol acids, such as thioglycolic, thiolactic acid, and β -mercaptopropionic acid, and/or the alkali or alkaline-earth metal salts of these acids. Other suitable thiol actives which also can be used in the present composition include α -mercaptoethanol, thioglycerols, 1,3-dithio-2-propanol, 1,4-dithio-2-butanol, 1,4-dimercapto-2,3-butanediol, 1,3-dithio-2-methoxypropane, 1,3-dimercapto-2-aminopropane, 1,4-dimercapto-2,3-diaminobutane, related effective thiol actives, and mixtures thereof.

The present invention can take the form of several of the commercial depilatory forms such as creams, lotions, gels, aerosols, and others. As such, additional ingredients relating to such embodiments should be added to the essential component. For instance, suitable fillers, ranging from about 0% to about 5%, can be used. Among suitable fillers are chalk, magnesium oxide and carbonate, clays, such as kaolin, bentonite and related elements, talc, fumed silica, and mixtures thereof.

Emulsifiers which can also be used in the present depilatory composition include anionic surfactants, nonionic surfactants, and mixtures thereof, in ranges from about 0% to about 20%. Examples of the
5 anionic surfactants include fatty alcohol sulfates and alkyl aryl sulfonates, whereas the nonionic types are selected from polyoxyalkylene alcohols and/or ethers. Many additional suitable surfactants are disclosed in McCutcheon's Detergents &
10 Emulsifiers, Edition 1979, incorporated herein by reference.

Both natural and synthetic thickeners or gelling agents can be used in the present invention. Such thickeners include tragacanth, xanthan, karaya and
15 guar gums, clays, plus methyl or hydroxyethyl cellulose, hydroxypropyl cellulose, carboxymethyl cellulose, fatty and polyvinyl alcohols, modified starches and sugars, and mixtures thereof. The range of thickener used is from about 0% to about
20 30%.

Emollients such as paraffin, petrolatum, mineral oil, fatty alcohols, silicone oils, and mixtures thereof are used at levels of from about 0% to about 60%. Fragrances and colorants
25 also are included.

When the present invention is in an emulsion, it may be in either a water-in-oil or oil-in-water form.

Often chelating agents are used to bind
30 unwanted metals in depilatory compositions. Chelating agents suitable for use in the present invention include ethylenediaminetetraacetic acid, its salts and mixtures thereof.

The following examples are presented merely to illustrate the various embodiments of the present invention and are not meant to be a limitation thereof:

5

EXAMPLE IDepilatory Cream

	2-Aminoethanethiol HCl	7.4800
	Calcium Hydroxide	10.7900
	Cabosil HS-5*	0.5000
10	Stearyl Alcohol	7.5000
	Isocetyl Alcohol	5.5000
	Brij 56**	4.3000
	Fragrance	2.0000
	Colorant	0.0125
15	Water	61.9175

* Fumed Silica

** Polyoxyethylene (10) cetyl ether (ICI Americas, Inc.)

The following example provides an illustration of a depilatory gel containing both aminoethanethiol and another active thiol agent. Again, it merely serves as an example of an embodiment of the present invention and is not limitative of it:

EXAMPLE IIDepilatory Gel

	Ceteareth 50*	24.50
	Thioglycerol	2.48
5	2-aminoethanethiol HCl	5.00
	Calcium Hydroxide	10.80
	Fragrance	2.00
	Water	55.22

*Polyethylene glycol ether of cetearyl alcohol

10 Another embodiment of the present invention is as an aerosol. Along with the previously-listed ingredients of the various depilatory embodiments, aerosols utilize propellants. The following example presents an example of an aerosol:

15 EXAMPLE III

Depilatory Aerosol

	A. <u>Concentrate</u>	<u>Wt. %</u>
	Calcium Thioglycolate	3.00
20	Aminoethanethiol	4.75
	Calcium Hydroxide	10.80
	Polyoxyethylene(20)Stearyl Ether	4.30
	Stearyl Alcohol	7.50
	Mineral Oil	3.00
25	Vaseline	3.00
	Fragrance	0.30
	Water	63.35

EXAMPLE III (continued)

B.	<u>Fill</u>	<u>Grams</u>
	Concentrate	175.00
	Propellant 12	7.12
	Propellant 114	5.38

Claims

1. An aqueous depilatory composition characterised by from 0.1M to 2.0M of aminoethanethiol or its salts, wherein said composition has a pH of from 10.5 to 12.5.
- 5 2. A depilatory composition according to Claim 1 characterised by from 0.2M to 1.0M aminoethanethiol or its salts.
3. A depilatory composition according to Claim 1 or 2 characterised in that the composition has a pH of from
10 11.0 to 12.3.
4. A depilatory composition according to any of Claims 1 to 3 characterised in that the composition additionally contains from 0% to 5% of a filler, from 0% to 20% of an emulsifier, from 0% to 30% of a
15 gelling agent or thickener, from 0% to 60% of an emollient, from 0% to 5% of a chelating agent, with fragrance, colorant, and water making up the remainder.
5. A depilatory composition according to Claim 4 characterised in that the filler is selected from
20 chalk, magnesium oxide and carbonate, clays, talc, fumed silica, and mixtures thereof, the emulsifier is selected from anionic surfactants, nonionic surfactants, and mixtures thereof, the thickener is selected from tragacanth, xanthan, karaya, and guar
25 gums, clays, methyl or hydroxyethyl cellulose, hydroxypropyl cellulose, carboxymethyl cellulose, fatty and polyvinyl alcohols, modified starches and sugars, and mixtures thereof, the emollient is selected from paraffin, petrolatum, mineral oil, fatty
30 alcohols, silicone oils and mixtures thereof, and the chelating agent is selected from ethylenediaminetetraacetic acid, the salts of said acid, and mixtures thereof.

6. A depilatory composition according to any of Claims 1 to 5 characterised in that the composition additionally contains from 0.1M to 2.0M of a second active thiol depilatory.
- 5 7. A depilatory composition according to Claim 6 characterised in that the second active thiol agent is present at a level of from 0.2M to 1.0M.
8. A depilatory composition according to Claim 7 characterised in that the second active thiol agent is
10 selected from thioglycolic acid, thiolactic acid,
 β -mercaptopropionic acid, the alkali or
alkaline-earth metal salts of these acids,
 α -mercaptoethanol, thioglycerol,
1,3-dithio-2-propanol, 1,4-dithio-2-butanol,
15 1,4-dimercapto-2,3-butanediol,
1,3-dithio-2-methoxypropane,
1,3-dimercapto-2-aminopropane,
1,4-dimercapto-2,3-diaminobutane, and mixtures thereof.
9. A depilatory composition according to any preceding
20 claim in the form of an aerosol wherein said
composition additionally contains from 0% to 20% of a propellant.

100

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) Publication number:

0 095 916
A3

(12)

EUROPEAN PATENT APPLICATION

(21) Application number: 83303086.9

(51) Int. Cl.³: **A 61 K 7/155**

(22) Date of filing: 27.05.83

(30) Priority: 01.06.82 US 383431

(43) Date of publication of application:
07.12.83 Bulletin 83/49

(88) Date of deferred publication of search report: 08.08.84

(84) Designated Contracting States:
BE DE FR GB IT NL

(71) Applicant: **THE PROCTER & GAMBLE COMPANY**
301 East Sixth Street
Cincinnati Ohio 45202(US)

(72) Inventor: **Murcia, Daniel Antonio**
3081 Woodside Drive
Fairfield Ohio 45014(US)

(72) Inventor: **Wells, Robert Lee**
4245 Rose Hill Avenue
Cincinnati Ohio 45229(US)

(74) Representative: **Brooks, Maxim Courtney et al,**
Procter & Gamble (NTC) Limited Whitley Road
Longbenton
Newcastle-upon-Tyne NE12 9TS(GB)

(54) Depilatory compositions.

(57) A depilatory composition comprised of amino-ethanethiol in an aqueous matrix provides fast and effective removal of unwanted body and facial hair. Additionally, a second active thiol agent may be included in the composition.

EP 0 095 916 A3



European Patent
Office

EUROPEAN SEARCH REPORT

0095916
Application number

EP 83 50 3086

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Cl. 2)
P,X	PATENTS ABSTRACTS OF JAPAN, vol. 6, no. 139(C-116)(1017), 28th July 1982 & JP - A - 57 62217 (KAO SEKKEN K.K.) 15-04-1982	1-9	A 61 K 7/155
X	--- GB-A- 521 240 (EVANS et al.) * Whole document *	1-5	
X	--- FR-A- 938 334 (SALES AFFILIATES) * Whole document *	1-9	
X	--- FR-A-1 367 854 (SHERICO) * Page 2, column 1, lines 21-33 *	1-5	

The present search report has been drawn up for all claims			TECHNICAL FIELDS SEARCHED (Int. Cl. 2)
			A 61 K C 14 C
Place of search THE HAGUE		Date of completion of the search 04-05-1984	Examiner BENZ K.F.
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

This Page Blank (uspto)